

WEST Search History for Application 10737388

Creation Date: 2008041306:58

Query	DB	Op.	Plur.	Thes.	Date
(acl or access near control or authoriz\$5 or authenticat\$3 or permission or valid\$5 near user) with (hash\$3 or hash\$1table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		04-13-2008
(\$3serializ\$5 or \$3marshal\$4 or byte\$1stream) and ((acl or access near control or authoriz\$5 or authenticat\$3 or permission or valid\$5 near user) with (hash\$3 or hash\$1table))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		04-13-2008
@pd<20030421 and ((\$3serializ\$5 or \$3marshal\$4 or byte\$1stream) and (acl or access near control or authoriz\$5 or authenticat\$3 or permission or valid\$5 near user) with (hash\$3 or hash\$1table))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		04-13-2008
(hash or hash\$1table or table) same tuple	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
(hash or hash\$1table or table) same (serializ\$5 or marshal\$4 or pack\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((hash or hash\$1table or table) same tuple) and ((hash or hash\$1table or table) same (serializ\$5 or marshal\$4 or pack\$3))	PGPB, USPT, USOC, EPAB, JPAB,	OR			04-13-2008

	DWPI, TDBD			
@pd<20030421 and ((hash or hash\$1table or table) same tuple and (hash or hash\$1table or table) same (serializ\$5 or marshal\$4 or pack\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(serializ\$5 or marshal\$4 or pack\$3) with (object or code or method)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(@pd<20030421 and (hash or hash\$1table or table) same tuple and (hash or hash\$1table or table) same (serializ\$5 or marshal\$4 or pack\$3)) and ((serializ\$5 or marshal\$4 or pack\$3) with (object or code or method))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(hash or hash\$1table or table) same (serializ\$5 or marshal\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((hash or hash\$1table or table) same tuple) and ((hash or hash\$1table or table) same (serializ\$5 or marshal\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
@pd<20030421 and ((hash or hash\$1table or table) same tuple and (hash or hash\$1table or table) same (serializ\$5 or marshal\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(hash or hash\$1table) same (serializ\$5 or marshal\$4)	PGPB, USPT,	OR		04-13-2008

	USOC, EPAB, JPAB, DWPI, TDBD			
@pd<20030421 and ((hash or hash\$1table) same (serializ\$5 or marshal\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((second or first) near hashtable)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((remote or method or function or procedure) near call) or invok\$3 or invocation) with ((second or first) near hashtable)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((remote or method or function or procedure) near call) or invok\$3 or invocation) with hashtable	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((serializ\$4 or marshal\$4 or stream\$2) near (object or request or message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
hash\$6 and ((stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((serializ\$4 or marshal\$4 or stream\$2) near (object or request or message)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR		04-13-2008

	TDBD			
@pd<20030421 and (hash\$6 and (stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((serializ\$4 or marshal\$4 or stream\$2) near (object or request or message)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((serializ\$4 or marshal\$4) near (object or request or message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
hash\$3 and ((stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((serializ\$4 or marshal\$4) near (object or request or message)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((function or method or procedure) near call or invocation or invok\$3) with (hash\$6 or table or schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
\$3serializ\$4 or \$3marshal\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((function or method or procedure) near call or invocation or invok\$3) with (hash\$6 or table or schema)) and (\$3serializ\$4 or \$3marshal\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
@pd<20030421 and (((function or method or procedure) near call or invocation or invok\$3) with (hash\$6 or table or schema) and \$3serializ\$4 or \$3marshal\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008

	EPAB, JPAB, DWPI, TDBD			
((function or method or procedure) near call or invocation or invok\$3) with (hash\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(\$3serializ\$4 or \$3marshal\$4) and (((function or method or procedure) near call or invocation or invok\$3) with (hash\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
hash\$1table and remote near (call or invocation or invok\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(combin\$5 or merg\$3) with ((serializ\$\$ or marshal\$4) near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((combin\$5 or merg\$3) near object) with hash\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((index near (table or schema)) or hash\$6) and (\$3serializ\$4 or \$3marshal\$4 or \$3stream\$3).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008

tuple and (((index near (table or schema)) or hash\$6) and (\$3serializ\$4 or \$3marshal\$4 or \$3stream\$3)).ab,ti.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((index near (table or schema)) or hash\$6) and (\$3serializ\$4 or \$3marshal\$4)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((index near (table or schema)) or hash\$6) with (\$3serializ\$4 or \$3marshal\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
@pd<20030421 and (((index near (table or schema)) or hash\$6) with (\$3serializ\$4 or \$3marshal\$4)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
add\$3 near data with hash\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
@pd<20030421 and (add\$3 near data with hash\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
(\$3serializ\$4 or \$3marshal\$4) and (add\$3 near data with hash\$6)	PGPB, USPT, USOC, EPAB,	OR			04-13-2008

	JPAB, DWPI, TDBD			
(transmi\$5 or transfer\$4 or send\$3 or receiv\$3) with ((3serializ\$4 or \$3marshal\$4) near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(transmi\$5 or transfer\$4 or send\$3 or receiv\$3) with ((multipl\$6 or plural\$5 or two) near ((3serializ\$4 or \$3marshal\$4) near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((multipl\$6 or plural\$5 or two) near ((3serializ\$4 or \$3marshal\$4) near object)) with hash\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((multipl\$6 or plural\$5 or two) with ((3serializ\$4 or \$3marshal\$4) near object)) with hash\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
20010032239	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(class or code) near hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
		OR		04-13-2008

(\$3serializ\$4 or stream\$3 or \$3marshal\$4) with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
tuple with (\$3serializ\$4 or stream\$3 or \$3marshal\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
hash\$6 and (tuple with (\$3serializ\$4 or stream\$3 or \$3marshal\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
@pd<20030421 and (hash\$6 and tuple with (\$3serializ\$4 or stream\$3 or \$3marshal\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
tuple and (\$3serializ\$4 or stream\$3 or \$3marshal\$4) and hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(invok\$3 or invocation) with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(call\$3 or invok\$3 or invocation) with hash\$1table	PGPB, USPT, USOC, EPAB,	OR		04-13-2008

	JPAB, DWPI, TDBD			
@pd<20030421 and ((call\$3 or invok\$3 or invocation) with hash\$1table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(\$3serializ\$4 or stream\$3 or \$3marshal\$4) and ((call\$3 or invok\$3 or invocation) with hash\$1table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
MIN-HONG!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR		04-13-2008
VAN-AERSCHOT-EGIDE!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR		04-13-2008
WANISH-PAUL-J!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR		04-13-2008
(709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219 l709/2312 l709/236).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(718/106).ccls.		OR		04-13-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
(719/311 l719/312 l719/313 l719/314 l719/315 l719/316 l719/319 l719/328 l719/330 l719/331 l719/332).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219 l709/2312 l709/236).ccls.) or ((718/106).ccls.) or ((719/311 l719/312 l719/313 l719/314 l719/315 l719/316 l719/319 l719/328 l719/330 l719/331 l719/332).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
tag with data near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
hash\$1table and (tag with data near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
hash\$1table near pointer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(serializ\$4 or marshal\$4 or stream\$3) with hash\$1table	PGPB, USPT, USOC, EPAB,	OR		04-13-2008

	JPAB, DWPI, TDBD			
data near object with pointer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
hash\$1table and (data near object with pointer)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((transport\$3 or transfer\$4 or transmi\$5 or download\$3) near (code or(object near data))) with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(\$3serializ\$4 or \$3marshal\$4 or \$3stream\$3) with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(de\$3serializ\$4 or de\$3marshal\$4) with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
data near object with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
'6366916'.pn.	USPT	OR		04-13-2008

'6343287'.pn.	USPT	OR			04-13-2008
'6108687'.pn.	USPT	OR			04-13-2008
((serializ\$4 or marshal\$4 or stream\$3) near object) with (hash\$3 or table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((serializ\$4 or marshal\$4 or stream\$3) near object) with (hash\$3 or table or schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((de\$1serializ\$4 or \$3marshal\$4) near object) with (hash\$3 or table or schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((de\$1serializ\$4 or \$3marshal\$4) near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((serializ\$4 or marshal\$4 or stream\$3) near object) with (hash\$3 or table or schema)) and (((de\$1serializ\$4 or \$3marshal\$4) near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((creat\$3 or instantiat\$3) near hash\$1table) with object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
		OR			04-13-2008

(6272559 or 6324637 or 6345306 or 6430538 or 6442563 or 6442620 or 6504554).pn. or (20020010709 or 20020095423 or 20020103758 or 20020194287 or 20030005170)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
hash\$3 and ((6272559 or 6324637 or 6345306 or 6430538 or 6442563 or 6442620 or 6504554).pn. or (20020010709 or 20020095423 or 20020103758 or 20020194287 or 20030005170))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((invok\$3 or invocat\$3) or locat\$3) with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
@pd<20030421 and (((invok\$3 or invocat\$3) or locat\$3) with hash\$1table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((invok\$3 or invocat\$3) near (object or code)) with (schema or table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219 l709/2312 l709/236).ccls. or (718/106).ccls. or (719/311 l719/312 l719/313 l719/314 l719/315 l719/316 l719/319 l719/328 l719/330 l719/331 l719/332).ccls.) and ((invok\$3 or invocat\$3) near (object or code)) with (schema or table))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
20040210879	PGPB, USPT, USOC, EPAB,	OR		04-13-2008

	JPAB, DWPI, TDBD			
(merg\$3 or combin\$4 or join\$3) near hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(merg\$3 or combin\$4 or join\$3) with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(common or shared) with hash\$1table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
((709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219 l709/2312 l709/236).ccls.) or ((718/106).ccls.) or ((719/311 l719/312 l719/313 l719/314 l719/315 l719/316 l719/319 l719/328 l719/330 l719/331 l719/332).ccls.) or (717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
(709/231).ccls. or ((709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219 l709/2312 l709/236).ccls. or (718/106).ccls. or (719/311 l719/312 l719/313 l719/314 l719/315 l719/316 l719/319 l719/328 l719/330 l719/331 l719/332).ccls. or (717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008
hash\$1table and ((#\$3serializ\$4 or #\$3marshal\$4 or stream\$3) near object) and ((709/231).ccls. or (709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219 l709/2312 l709/236).ccls. or (718/106).ccls. or (719/311 l719/312 l719/313 l719/314 l719/315 l719/316 l719/319 l719/328 l719/330 l719/331 l719/332).ccls. or (717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008

'6470494'.pn.	USPT	OR			04-13-2008
'6349344'.pn.	USPT	OR			04-13-2008
'6305009'.pn.	USPT	OR			04-13-2008
shallow near signature	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
fingerprint and hash\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((\\$3serializ\$4 or \$3marshal\$4 or stream\$3) near object) and (fingerprint and hash\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((709/231).ccls. or (709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219 l709/2312 l709/236).ccls. or (718/106).ccls. or (719/311 l719/312 l719/313 l719/314 l719/315 l719/316 l719/319 l719/328 l719/330 l719/331 l719/332).ccls. or (717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls.) and (((\\$3serializ\$4 or \$3marshal\$4 or stream\$3) near object) and fingerprint and hash\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
(combin\$5 or merg\$3) near2 hash\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			04-13-2008
((\\$3serializ\$4 or \$3marshal\$4 or stream\$3) and ((combin\$5 or merg\$3) near2 hash\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			04-13-2008

	TDBD				
((709/231).ccls. or (709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219 l709/2312 l709/236).ccls. or (718/106).ccls. or (719/311 l719/312 l719/313 l719/314 l719/315 l719/316 l719/319 l719/328 l719/330 l719/331 l719/332).ccls. or (717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls.) and ((\\$3serializ\$4 or \\$3marshal\$4 or stream\$3) and (combin\$5 or merg\$3) near2 hash\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		04-13-2008	